
Objective 33: Reduce tobacco use among adolescents

☑ Update Summary: Pending

Statistics and Goals

Measure: Percentage of adolescents who use tobacco products




National Data Source: Healthy People 2020, CDC National Youth Risk Behavior Surveillance System (YRBSS) Maryland Data Source: Maryland Youth Tobacco Survey (MYTS)

								SHIP
National	Maryland			Asian/				2014
Baseline	SHIP	Year	Total	NHOPI	Black	Hispanic	White	Target
26.0 (2009)	Baseline	2010	24.8	18.6	24.2	29.8	24.7	22.3

Objective 33: Reduce the Percent of Youths Who Use Any Kind of Tobacco Product

Local-Level Data

Measure: Percentage of adolescents who used any tobacco product in the last 30 days



Data Source: Maryland Youth Tobacco Survey

County	2010	
State of Maryland	24.8	
Allegany	27.5	
Anne Arundel	27.0	
Baltimore City	27.1	
Baltimore County	27.8	
Calvert	25.8	
Caroline	32.8	
Carroll	23.1	
Cecil	29.4	
Charles	23.6	
Dorchester	31.1	
Frederick	22.6	
Garrett	40.0	
Harford	26.8	
Howard	20.0	
Kent	37.7	
Montgomery	19.2	
Prince George's	23.3	
Queen Anne's	32.9	

County	2010
Saint Mary's	23.7
Somerset	37.0
Talbot	31.5
Washington	33.1
Wicomico	32.8
Worcester	34.6

Objective 33: Reduce the Percent of Youths Who Use Any Kind of Tobacco Product

Data Details	
<u>National Data</u>	
Source	CDC National Youth Risk Behavior Surveillance System
Year	2009
<u>Maryland Data</u>	
Source	Maryland Youth Tobacco Survey (MYTS)
Year	
Baseline	2010
Update	
Calculation	
Numerator	Number of adolescents who reported using any kind of tobacco product
Denominator	Number of persons (population)
Population source	Maryland Youth Tobacco Survey (MYTS)
Single year method	(x/y)*100
Combined year method	
<u>Notes</u>	
Race/ethnicity	Race and Hispanic origin are reported using the following categories: Asian, black, Hispanic, and white.
Censoring	
Origin	Data requested and received from the DHMH Center for Tobacco Prevention and Control, Bob Fiedler, 9/2011
Other	